

# DETAILING AND COLOR

**(**SCANGRIP

LIGHTING SOLUTIONS FOR THE PAINTING INDUSTRY



SCANGRIP is constantly pushing back the boundaries of LED lighting and battery technology, creating new and specialized work light solutions.

This new product line is the most comprehensive and sophisticated of its kind in the world. The specialized lighting solutions with superior quality are made for color matching, detailing and general paint work and are usable everywhere a painted surface needs inspection.










# LIGHTING SOLUTIONS FOR THE PAINTING INDUSTRY

The new generation of SCANGRIP lights for the painting industry will strike you as being the widest and most sophisticated range on the market with significantly improved lighting and battery technology.

The new product range has embedded all possible needs for effective and specially designed work lights including suspension and stand solutions for both stationary and flexible positioning of the lights to match the specific work task.

#### ALL DAYLIGHT - Multiple color temperature

During the day, the sunlight will have different color temperatures and change from warm to cold temperatures throughout the day.



The new range reflects the entire color temperature spectrum which occurs during the day and offers the option to choose between 5 different color temperatures ranging from 2500K to 6500K.

With this new ALL DAYLIGHT function you will be able to take advantage of the entire color temperature range and customize the light to the specific colors, providing ideal conditions for accurate color match and highlighting and discovering paint defects.

#### Importance of right work light

The SCANGRIP lighting solutions increase the quality and finish of each, individual operation and reduces the rate of time-consuming and costly re-work. Due to the special LED features, this lighting range is perfect for any paint, polish, cleaning or prep-zone operation. This means that for instance holograms and polishing errors will be detected during the working operations, and, in this way, several days of costly re-do will be avoided.

#### State-of-the-art functionality

The sturdy work lights are designed to resist the most extreme demands of the painting workshop environment. The long operating time of the work lights makes it possible to complete a job without interruption of time-consuming recharging. In addition, the new SCANGRIP POWER SOLUTION with exchangeable batteries offers unlimited availability to light. The advanced functionalities with wireless BLUETOOTH lighting control and integrated USB power bank just underlines the league they are in.

# APPLICATION AREAS

- For everybody inspecting painted surfaces
- For all kinds of car, truck and bus workshops
- For car and industrial painters
- For prep-zone operations and detailing centers

// The COB (chips on board) LED technology provides a unique, uniform and completely even illumination with only one shadow which makes it particularly effective for detailing light

// The color temperature (KELVIN) exactly fits the specific requirements for efficient work light in the painting industry





# CRI+

# FOR ACCURATE COLOR MATCHING

Work lights to be used for color match purposes must have a light source with a high CRI value. The standard CRI value is calculated as an average of the first 8 R-values out of 15. This means that e.g. the R9 (red) value, which is important for correct color recognition, is not taken into consideration for the CRI value.

SCANGRIP now introduces the **CRI+** term defined as an average of all 15 R-values. This is the only correct definition of the CRI value to be used for accurate and reliable color recognition.







# **PENLIGHTS**

Easy to carry penlights with excellent color rendering properties for color match always readily available in a shirt or pant pocket. Designed for inspection in the workshop and especially useful for detection of scratches, pinholes and swirl marks.

Made of sturdy and durable aluminum supplied with solvent resistant glass lens.

# **MATCHPEN**

MATCHPEN has a slim design with focus function for concentrated and focused light beam ranging from 10° to 70°. Comes complete with 2 AAA batteries.

#### MATCHPEN R

The rechargeable MATCHPEN R features a 2 COLOR LIGHT function, pro-



viding you with the option to choose between 2 different color temperatures depending on the job at hand. Focus function for concentrated and focused light beam ranging from 10° to 45°. It can easily be recharged by the enclosed USB cable.



## MATCHPEN **\$ 49.00**

03.5117

Penlight with focus function providing 100 lumen





## MATCH**PEN R**

\$59.00

03.5122US

Rechargeable penlight with focus function and 2 COLOR LIGHT providing 100 lumen

PATENT











# **HEADLAMP**

Provides superior hands-free illumination for any detailing or color match job. Supplied with the newest COB LED technology, the rechargeable I-MATCH 2 provides an extremely powerful illumination spreading the uniform light to the maximum and lightens up your entire field of view.

By waving your hand in front of the lamp, you will switch on the light when needed. In sensor mode, the light can easily be switched on/off, even when wearing gloves.

I-MATCH 2 is provided with the very newest rechargeable battery technology with long operating time, and sets new standards for professional work light.

Supplied with 2 color temperature options, cold or warm and 2 lumen output options, 50% or 100%. The robust and sleek I-MATCH 2 is both dust and waterproof (IP65) with a remarkably low weight, only 0.286 lb



03.5446US

PATENT

Rechargeable COB headlamp with 2 COLOR LIGHT providing 160 lumen



#### **ILLUMINATED AREA**



Standard headlamp



I-MATCH 2 headlamp







# **HANDLAMPS**

Handheld rechargeable work lights with excellent color rendering properties, for perfect color match.

Easy to carry in the pocket or in the work belt with the built-in clip, ready at hand for quality check between prep-zone operations. Supplied with a two-step operating option: Step 1 = 100%, step 2 = 50% light output.

Place the lamp anywhere you want during inspection with the turnable sturdy hook or the strong built-in magnet. The flexible lamp head tilts up to 180 degrees. Durable construction, dust as well as waterproof, IP65. Supplied with solvent resistant glass lens. Battery indicator at front shows when the battery must be recharged.

#### MINIMATCH

With its strong and basic functionality, the handheld MINIMATCH features 2 COLOR LIGHT (warm and cold), especially useful for bright and dark colored surfaces.

## **SUNMATCH 3**

Depending on the type of job at hand, SUNMATCH 3 features an outstanding ALL DAYLIGHT function, providing you with the option to choose between 5 different color temperatures. A spotlight for inspection is included at the top.

To avoid overheating the built-in intelligent heat protection system switches to low mode (50%) after 3 minutes continuous use at high mode. SUNMATCH 3 is always ready to use and easy to find when placed in its charging base after each job.





MINIMATCH

\$89.00

03.5650US

Handheld rechargeable work light with 2 COLOR LIGHT providing 200 lumen









SUN**MATCH 3** 

\$ 149.00 03.5651US

Handheld rechargeable work light with ALL DAYLIGHT providing 500 lumen

Including 1 x SCANGRIP
DIFFUSER SMALL



PATENT











# MULTIMATCH WORK LIGHT

Handy and powerful work light for inspection and detailing providing up to 1200 lumen.

MULTIMATCH R features the outstanding ALL DAYLIGHT function, providing you with the option to choose between 5 different color temperatures depending on the job.

The lamp is easy to carry and is ergonomically designed for a good grip on the handle, which is also equipped with powerful integrated magnets

for flexible mounting. This gives you high flexibility and application possibilities for internal inspection of cars and other narrow areas.

The lamp is designed for direct mounting on the SCANGRIP TRIPOD and WHEEL STAND.

Rechargeable built-in power bank with USB outlet to charge mobile devices.



















MULTIMATCH R \$ 149.00

03.5652US

Rechargeable work light with ALL DAYLIGHT providing 1200 lumen





# MULTIMATCH WORK LIGHTS

# with exchangeable battery pack

Outstanding and powerful rechargeable work lights for inspection of large surfaces during polishing, painting and cleaning operations as well as for color match.



The work lights feature the ALL DAYLIGHT function, providing you with the option to choose between 5 different color temperatures. The 5-step dimmer function makes it possible to adjust the light into five different levels depending on the job at hand.

The new SCANGRIP POWER SOLUTION provides you with unlimited availability to light. Easily you can insert a new fully charged battery and continue the work while another battery is charging. Or you can simply add the charger directly to the lamp to get power supply. The integrated battery backup function prevents you from being without light at any time.

By the new BLUETOOTH lighting control app you are able to control and adjust both the light output and the color temperatures, along with a range of other useful, wireless functions improving daily work efficiency.

The new MULTIMATCH range is supplied with a built-in power bank with USB outlet to charge mobile devices.



EU DESIGN PATEN 5597010









# SCANGRIP POWER SOLUTION

SCANGRIP has taken advantage of new, high performance battery technologies and invented an innovative concept of flexible and reliable power supply.

The unique, patented concept is called:



- DUAL SYSTEM 2in1 with exchangeable battery pack use both rechargeable with battery or with power supply from the battery charger mounted directly to the lamp
- Integrated backup battery functionality up to 1h use with 1000 lumen without battery or cable
- IP67 waterproof to be used in tough environment

With the new, innovative SPS system you will never experience being completely without light and left in total darkness. No matter how limited your access is to power supply the SPS ensures that you always have the necessary light to carry out your job. SPS provides complete freedom, flexibility and maximum work efficiency.



SPS system provides light for the entire work day





Use battery charger directly on the lamp as power supply



Change battery



Charging exchangeable battery

# NEW **APP** WITH EXTENDED FUNCTIONALITY

With the new BLUETOOTH light control features you can control up to four MULTIMATCH lamps. The light control makes it possible to turn on/off the lamp from your phone and adjust the light output as well as the color temperature in steps from 2500k to 6500k to suit the work task in question. Assign your own personal pin code to prevent other users from controlling the lamp.

The wireless application is perfect when working with one or more hard-to-reach lamps, for example positioned on the SCANGRIP TRIPOD.



#### BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10%-100%
- Adjust CCT value in 5 steps 2500K-6500K
- Switch on/off
- Assign pin code
- Check battery level
- Group control function, up to 4 lamp





EU DESIGN PATENT 5597010

MULTIMATCH 3

\$ 299.00

03.5653US



MULTIMATCH 8

\$399.00

03.5654US





Work light with BLUETOOTH, SPS and ALL DAYLIGHT providing up to 3000 lumen. Incl. exchangeable battery and charger.



Work light with BLUETOOTH, SPS and ALL DAYLIGHT providing up to 8000 lumen. Incl. exchangeable battery and charger. 3 years warranty





# SCANGRIP WHEEL STAND

The SCANGRIP WHEEL STAND is developed for mobile positioning of the work light in the detailing workshop. It makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other.

The SCANGRIP WHEEL STAND is extendable from 3 ft to 6.2 ft and comes in an upgraded design. The new base is equipped with 5 wheels for improved safety and stability and easy maneuverability. The wheels are sturdy and of high quality and roll easily even on uneven surfaces. 2 of the wheels are lockable to secure a safe and fixed position.

It is fast and easy to position the work light on the SCANGRIP WHEEL STAND, and when mounted the light can be tilted to provide the optimum beam angle. When the job is done, it can easily be put aside.



As an additional feature of the new, upgraded WHEEL STAND it now comes with a flexible bracket that enables you to easily position a second work light to illuminate from below.

The extra mounting bracket is adjustable in the height and provides complete flexibility to position the light in the optimum height.

When working on the side of the car or doing prep work at the panel this dual light option provides perfect, shadow free illumination from the upper side as well as from the underside.





Welded steel mounting cap 0.4in thread

Powder coated steel



360° locking system for a firm grip

SCANGRIP WHEEL STAND

\$129.00

03.5682

Max load 22 lbs Weight 14.6 lbs



Dual bracket for positioning of two lamps on WHEEL STAND





# SCANGRIP TRIPOD

In the detailing workshop the SCANGRIP TRIPOD is indispensable for stationary positioning of the MULTIMATCH work lights for illumination in a specific working area.

The SCANGRIP TRIPOD is extendable from only 4.5ft up to 10ft which gives you complete flexibility to position the light in the requested height. When mounted on the tripod the light can be tilted to provide the optimum beam angle.

The stable construction of the SCANGRIP TRIPOD makes it safe even when fully extended. To increase safety when in use the cable of the lamp can be fixed in the safety clips placed on each separate leg.


#### MAGNET BRACKET

#### \$ 34.00

03.5390

















360° locking system for a firm grip

Powder coated steel

Welded steel

mounting cap 0.4in thread

#### MAGNET BRACKET - Large

\$ 44.00

03.5391





For flexible positioning of the  $MULTIMATCH\,8\,on\,any\,magnetic\,surface$ 



MAX 10ft

# **DUAL BRACKET** \$ 24.00

\$109.00 03.5431

Max load 22 lbs Weight 13 lbs



SCANGRIP TRIPOD

Dual bracket for positioning of two lamps









# SCANGRIP DIFFUSERS

The light diffuser is designed to spread and soften the light while avoiding hard shadows. It gives you increased functionality and new possibilities to adapt your work light even further to the specific work task. The smooth and diffused light reduces glare and shadows making it easier to identify high spots when working with coatings and see dust nibs on painting. It may also provide a pleasant background light in the detailing studio.

# Diffusers for MULTIMATCH work lights

The SCANGRIP DIFFUSER enables you to transform the powerful and bright light from the MULTIMATCH products to a soft and broad spread of light similar to what you would get from a cloudy sky. The high CRI performance of the MULTIMATCH and the ability to adjust colour temperature and brightness of the light is maintained when the diffuser is used. Easy and safe mounting with strong magnets.

#### SCANGRIP DIFFUSER

#### \$19.00

03.5750 For MULTIMATCH 3

#### SCANGRIP DIFFUSER - Large

#### \$ 24.00

03.5751 For MULTIMATCH 8







# Diffuser for MINIMATCH and SUNMATCH 3

The small diffuser provides a soft and diffused light when mounted on top of the lens. The compact size of the handlamps and the diffuser enables you to carry it in the pocket and makes it easy to adjust the light to the work task. The diffuser comes in a packet of four pieces.

#### SCANGRIP DIFFUSER - Small - 4 pcs

#### \$19.00

For MINIMATCH and SUNMATCH 3









PATENT PROTECTED



# **DETAILING KITS**

The DETAILING kit bags are made of sturdy nylon with convenient practical carrying strap. Firm hold and room protecting the products. Easy to carry and use.

# **ESSENTIAL**



The ESSENTIAL kit includes the essential products you need for effective detailing and color match.

#### DETAILING KIT - ESSENTIAL

#### \$ 329.00

49.0220US

Includes:

I-MATCH 2, 03.5446US MINIMATCH, 03.5650US MULTIMATCH R, 03.5652US

# ULTIMATE



Depending on the job at hand, the ULTIMATE kit provides you with advanced work lights with powerful illumination and multiple applications for any detailing or color match job.

#### **DETAILING KIT - ULTIMATE**

#### \$ 599.00

49.0217US

Includes:

MATCHPEN R, 03.5122US I-MATCH 2, 03.5446US SUNMATCH 3, 03.5651US MULTIMATCH 3, 03.5653US





|                                   | MATCH <b>PEN</b>      | MATCH <b>PEN R</b>     |
|-----------------------------------|-----------------------|------------------------|
| Product number                    | 03.5117               | 03.5122US              |
| Light source                      | Ultra high CRI LED    | Ultra high CRI LED     |
| Luminous flux, lumen              | 100                   | 100                    |
| Iluminance, lux@0.5 m             | 300-4000              | 700-8000               |
| Adjustable light output           | No                    | No                     |
| Beam angle                        | 10°-70°               | 10°-45°                |
| Beam distance                     | Up to 246ft           | Up to 311.6ft          |
| CRI                               | Ra > 95               | Ra > 92                |
| ССТ                               | 4500K                 | 4500-6500K             |
| Adjustable CCT                    | -                     | 2 steps                |
| Operating time with max. lumen, h | 2                     | 2.5                    |
| Operating time with min. lumen, h | -                     | -                      |
| Charging time, h                  | -                     | 2.5                    |
| Battery                           | 2xAAA / 1.5V Alkaline | 3.7V / 1100 mAh Li-ion |
| Protection class                  | IP54                  | IP30                   |
| Impact resistance                 | 39.37in               | 39.37in                |
| Cable                             | -                     | 39.37in USB            |
| Operating voltage AC              | -                     | -                      |
| Charging voltage/current DC       | -                     | 5V/1A                  |
| Power consumption                 | 3W                    | Max 2.5W               |
| Charger incl.                     | -                     | Yes                    |
| Temperature                       | 14°F to 104°F         | 14°F to 104°F          |
| Dimensions                        | ø0.63 x 5.83in        | ø0.75 x 6.26in         |
| Net weight                        | 0.132lb               | 0.194lb                |
| Price                             | \$ 49.00              | \$ <b>59.00</b>        |



| I MATCH 2                      |
|--------------------------------|
| I-MATCH 2                      |
| 03.5446US                      |
| Ultra high <b>CRI+</b> COB LED |
| 80-160                         |
| 300-500                        |
| 2 levels                       |
| 120°-60°                       |
| -                              |
| Ra > 96 <b>CRI+</b>            |
| 4500-6500K                     |
| 2 steps                        |
| 2.5                            |
| 5                              |
| 4                              |
| 3.8V / 1600 mAh Li-ion         |
| IP65 / IK07                    |
| 39.37in                        |
| 39.37in USB                    |
| -                              |
| 5V/1A                          |
| Max 2.5W                       |
| Yes                            |
| 14°F to 104°F                  |
| 4.13 x 2 x 1.69in              |
| 0.286lb                        |



# **HANDLAMPS**

|                                   | MINIMATCH                      | SUNMATCH 3 Upgraded 2021       |
|-----------------------------------|--------------------------------|--------------------------------|
| Product number                    | 03.5650US                      | 03.5651US                      |
| Light source                      | Ultra high <b>CRI+</b> COB LED | Ultra high <b>CRI+</b> COB LED |
| Luminous flux, lumen              | 100-200                        | 250-500 Spot: 200              |
| Iluminance, lux@0.5 m             | 250-500                        | 700-1400 Spot: 1000            |
| Adjustable light output           | 2 levels                       | 2 levels                       |
| Beam angle                        | 75°                            | 80° Spot: 30°                  |
| CRI                               | Ra > 96 <b>CRI+</b>            | Ra > 96 <b>CRI+</b> Spot: 95   |
| ССТ                               | 4500-6500K                     | 2500-6500K Spot: 4500K         |
| Adjustable CCT                    | 2 steps                        | 5 steps                        |
| Operating time with max. lumen, h | 2                              | 2                              |
| Operating time with max. lumen, h | 4                              | 3                              |
| Charging time, h                  | 4                              | 4                              |
| Battery                           | 3.7V / 1600 mAh Li-ion         | 3.7V / 2600 mAh Li-ion         |
| Protection class                  | IP65                           | IP65                           |
| Impact resistance                 | 39.37in                        | 39.37in                        |
| Cable                             | 39.37in USB                    | 39.37in USB                    |
| Operating voltage AC              | -                              | -                              |
| Charging voltage/current DC       | 5V/1A                          | 5V/1A                          |
| Power consumption                 | Max 3.5W                       | Max 9W                         |
| Charger incl.                     | Yes                            | Yes                            |
| Temperature                       | 14°F to 104°F                  | 14°F to 104°F                  |
| Dimensions                        | 6.14 x 2.36 x 1.26in           | 7.48 x 2.36 x 1.26in           |
| Net weight                        | 0.418lb                        | 0.595lb                        |
| Price                             | \$ 89.00                       | \$ 149.00                      |

# KIT IN BAG

\$89.00



|                | ESSENTIAL                              | ULTIMATE   |
|----------------|--|--|
| Product number | 49.0220US                              | 49.0217US  |
| Content        | I-MATCH 2<br>MINIMATCH<br>MULTIMATCH R | MATCHPEN R I-MATCH 2 SUNMATCH 3 MULTIMATCH 3 incl. battery/charger |
| Dimensions     | 11.42 x 3.94 x 7.48in                  | 15.16 x 4.53 x 11.81in   |
| Net weight     | 3.87lb                                 | 9.84lb   |
| Price          | \$ 329.00                              | \$ 599.00  |
|                |  |  |





|                                   | MULTIMATCH <b>R</b>            | MULTIMATCH 3                         | MULTIMATCH 8                         |
|-----------------------------------|--------------------------------|--------------------------------------|--------------------------------------|
| Product number                    | 03.5652US                      | 03.5653US                            | 03.5654US                            |
| Light source                      | Ultra high <b>CRI+</b> COB LED | Ultra high <b>CRI+</b> COB LED       | Ultra high <b>CRI+</b> COB LED       |
| Luminous flux, lumen              | 120-1200                       | 300-3000                             | 800-8000                             |
| Iluminance, lux@0.5 m             | 250-2500                       | 450-4500                             | 1200-12000                           |
| Adjustable light output           | 5 levels                       | 5 levels                             | 5 levels                             |
| Beam angle                        | 100°                           | 115°                                 | 115°                                 |
| CRI                               | Ra > 96 <b>CRI+</b>            | Ra > 96 <b>CRI+</b>                  | Ra > 96 <b>CRI+</b>                  |
| ССТ                               | 2500-6500K                     | 2500-6500K                           | 2500-6500K                           |
| Adjustable CCT                    | 5 steps                        | 5 steps                              | 5 steps                              |
| Operating time with max. lumen, h | 0.8                            | 1.5                                  | 1                                    |
| Operating time with min. lumen, h | 10                             | 15                                   | 10                                   |
| Charging time, h                  | 3.5                            | 1.5*                                 | 1.5*                                 |
| Battery                           | 3.7V / 6000 mAh Li-ion         | 11.1V / 4000 mAh Li-ion              | 11.1V / 8000 mAh Li-ion              |
| Protection class                  | IP67 / IK07                    | IP67 / IK07                          | IP67 / IK07                          |
| Impact resistance                 | 39.37in                        | 39.37in                              | 39.37in                              |
| Cable                             | 39.37in USB                    | UL 16 ft 2C SJTOW 18 AWG             | UL 16 ft 2C SJTOW 18 AWG             |
| Charging voltage/current DC       | 5V / 2A                        | 12.6V / 2.8A                         | 12.6V / 6.8A                         |
| Power consumption                 | Max 16.5W                      | Max 30W                              | Max 85W                              |
| Battery incl.                     | -                              | SPS BATTERY 4Ah 03.6003              | SPS BATTERY 8Ah 03.6004              |
| Charger incl.                     | -                              | SPS CHARGING SYSTEM 35W<br>03.6006US | SPS CHARGING SYSTEM 85W<br>03.6008US |
| Temperature                       | 14°F to 104°F                  | 14°F to 104°F                        | 14°F to 104°F                        |
| Dimensions                        | 6.42 x 2.48 x 6.42in           | 9.45 x 9.05 x 4.09in                 | 12 x 11.41x 4.92in                   |
| Net weight                        | 1.76lb                         | 4.34lb                               | 8lb                                  |
| Price                             | \$ 149.00                      | \$ 299.00                            | \$ 399.00                            |

<sup>\*80%</sup> 

# SCANGRIP POWER SOLUTION accessories



|                             | SPS BATTERY 4Ah         | SPS BATTERY 8Ah         | SPS CHARGING SYSTEM 35W  | SPS CHARGING SYS     |
|-----------------------------|-------------------------|-------------------------|--------------------------|----------------------|
| Product number              | 03.6003                 | 03.6004                 | 03.6006US                | 03.6008US            |
| Battery                     | 11.1V / 4000 mAh Li-ion | 11.1V / 8000 mAh Li-ion | -                        | -                    |
| Charging voltage/current DC | 12.6V / 2.8A            | 12.6V / 6.8A            | 12.6V/2.8A               | 12.6V / 6.8A         |
| Cable                       | -                       | -                       | UL 16 ft 2C SJTOW 18 AWG | UL 16 ft 2C SJTOW 18 |
| Charger input voltage       | -                       | -                       | 100-240V AC 50/60Hz      | 100-240V AC 50/60    |
| Power consumption           | -                       | -                       | Max 35W                  | Max 85W              |
| Charging time, h            | 1.5*                    | 1.5*                    | -                        | -                    |
| Protection class            | IP67 / IK07             | IP67 / IK07             | IP67 / IK07              | IP67 / IK07          |
| Impact resistance           | 39.37in                 | 39.37in                 | 39.37in                  | 39.37in              |
| Temperature                 | 14°F to 104°F           | 14°F to 104°F           | 14°F to 104°F            | 14°F to 104°F        |
| Dimensions                  | 4.06 x 2.95 x 1.57in    | 4.06 x 2.95 x 2.44in    | 5.47 x 2.95 x 1.57in     | 5.47 x 2.95 x 1.93i  |
| Net weight                  | 0.705lb                 | 1.235lb                 | 1.433lb                  | 1.676lb              |
| Price                       | \$ 49.00                | \$ 89.00                | \$ 49.00                 | \$ 89.00             |

<sup>\*80%</sup> 

SCANGRIP flashlights are tested according to the ANSI/NEMA FL-1 standard.

All prices are gross prices, ex US warehouse, TAX exclusive and effective from 1st January 2021. Prices are subject to change without notice. Nor is responsibility assumed for printing errors. Our GENERAL TERMS AND CONDITIONS apply for all business transacted with SCANGRIP.









// SCANGRIP is Europe's leading manufacturer of work lights for professionals providing the strongest and most comprehensive ranges of work lights with the latest LED lighting technology available on the market.

SCANGRIP is innovation from Denmark: All products are designed and developed by SCANGRIP in Denmark and manufactured at our own factories.

SCANGRIP receives strong recognition in the marketplace for its product design, and the products are known for their high quality.

SCANGRIP strives for perfection, and is continuously optimizing and improving light output, battery capacity, design and ergonomics, durability, user-friendliness and functionality. The aim is to set new standards for professional work lights.

SCANGRIP was established in 1906 and has been manufacturing high quality hand tools for the industrial and automotive sectors for 115 years.

49.0240 - COLOR MATCH-US-