

Date of compilation: 2021-06-16 Version: 1

SECTION 1: IDENTIFICATION

1.1 Product identifier: - ANTI-TAR

Other means of identification:

Non-applicable

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Removes tar

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Initial supplier identifier:

AUTOLAND Sp. Jawna J.Kisielewski & J. .Moranski Ogrodowa 37 00-873 Warszawa - Poland Phone.: 0048-32-47 22 531 autoland_hse@autoland.pl http://autoland.pl Canada supplier identifier:

1.4 Emergency phone number:

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture:

WHMIS 2015:

Classification of this product has been carried out in accordance with Part 2 of Hazardous Products Regulations (SOR/2015-17)

Aerosol 1: Flammable aerosols, Category 1, H222 Eye Irrit. 2: Eye irritation, Category 2, H319 Press. Gas: Pressure Gases, H280 Skin Irrit. 2: Skin irritation, Category 2, H315 STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

2.2 Label elements:

WHMIS 2015:

Danger



Hazard statements:

Aerosol 1: H222 - Extremely flammable aerosol. Eye Irrit. 2: H319 - Causes serious eye irritation. Press. Gas: H280 - Contains gas under pressure; may explode if heated. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Do not pierce or burn, even after use.

P501: Dispose of contents and / or their container according to the separated collection system used in your municipality.

Substances that contribute to the classification

ISOPROPYL ALCOHOL; Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics; Hydrocarbons, C9-C10,n-alkanes, iso-alkanes, cyclics, <2% aromatics

- CONTINUED ON NEXT PAGE -



Date of compilation: 2021-06-16 Version: 1

SECTION 2: HAZARD IDENTIFICATION (continued)

2.3 Health and physical hazards not otherwise classified (HHNOC - PHNOC):

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Solvent/s

Components:

In accordance with Schedule I of the Hazardous Products Regulations (SOR/2015-17), the product contains:

	Identification	Chemical name	Concentration
CAS:	106-97-8	Butane	30 - <60 %
CAS:	67-63-0	propan-2-ol	10 - <30 %
CAS:	64742-49-0	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	10 - <30 %
CAS:	74-98-6	Propane	10 - <30 %
CAS:	Non-applicable	Hydrocarbons, C9-C10,n-alkanes, iso-alkanes, cyclics, <2% aromatics	10 - <30 %
To ob	tain more informa		

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Non-applicable



Date of compilation: 2021-06-16 Version: 1

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO2).

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage



Date of compilation: 2021-06-16 Version: 1

SECTION 7: HANDLING AND STORAGE (continued)

Minimum Temp.: 0 °C Maximum Temp.: 50 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

British Columbia - Occupational Health and Safety Regulation section 5.48:

Identification	Occupational exposure limits		
Butane	TLV-TWA		
CAS: 106-97-8	TLV-STEL	1000 ppm	
propan-2-ol	TLV-TWA	200 ppm	
CAS: 67-63-0	TLV-STEL	400 ppm	

ALBERTA - Occupational Health and Safety Code:

Identification	Occupational exposure limits		
Butane	8-hour	1000 ppm	
CAS: 106-97-8	15-minute		
propan-2-ol	8-hour	200 ppm	492 mg/m ³
CAS: 67-63-0	15-minute	400 ppm	984 mg/m ³
Propane	8-hour	1000 ppm	
CAS: 74-98-6	15-minute		

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Ocular and facial protection

Non-applicable

E.- Bodily protection

Non-applicable

F.- Additional emergency measures

It is not necessary to take additional emergency measures.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds (VOC) according to Canadian Environmental Protection Act, 1999:

Volatile organic compounds:100 % weightV.O.C. density at 20 °C:Non-applicable

- CONTINUED ON NEXT PAGE -



СТ	TION 9: PHYSICAL AND CHEMICAL PROPE	RTIES					
1							
T	Information on basic physical and chemical properties: For complete information see the product datasheet.						
	Appearance:						
	Physical state at 20 °C:	Aerosol					
	Appearance:	Fluid					
	Color:	Colourless					
	Odor:	Characteristic					
	Odour threshold:	Non-applicable *					
	Volatility:						
	Boiling point at atmospheric pressure:	-42 - 150 °C (Propellant)					
	Vapour pressure at 20 °C:	Non-applicable *					
	Vapour pressure at 50 °C:	<300000 Pa (300 kPa)					
	Evaporation rate at 20 °C:	Non-applicable *					
	Product description:						
	Density at 20 °C:	Non-applicable *					
	Relative density at 20 °C:	Non-applicable *					
	Dynamic viscosity at 20 °C:	Non-applicable *					
	Kinematic viscosity at 20 °C:	Non-applicable *					
	Kinematic viscosity at 40 °C:	<20.5 cSt					
	Concentration:	Non-applicable *					
	pH:	Non-applicable *					
	Vapour density at 20 °C:	Non-applicable *					
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *					
	Solubility in water at 20 °C:						
	Solubility properties:	Miscível em solventes					
	Decomposition temperature:	Non-applicable *					
	Melting point/freezing point:	Non-applicable *					
	Recipient pressure:	Non-applicable *					
	Explosive properties:	Non-applicable *					
	Oxidising properties:	Non-applicable *					
	Flammability:						
	Flash Point:	-104 °C (Propellant)					
	Heat of combustion:	Non-applicable *					
	Flammability (solid, gas):	Non-applicable *					
	Autoignition temperature:	410 °C (Propellant)					
	Lower flammability limit:	Non-applicable *					
	Upper flammability limit:	Non-applicable *					
	Explosive:						
	Lower explosive limit:	Non-applicable *					
	Upper explosive limit:	Non-applicable *					
2	Other information:						
	Surface tension at 20 °C:	Non-applicable *					
	Refraction index:	Non-applicable *					



Date of compilation: 2021-06-16 Version: 1

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Risk of combustion	Avoid direct impact	Not applicable
		•	•	

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Produces skin inflammation.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - IARC: propan-2-ol (3); Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.



Date of compilation: 2021-06-16 Version: 1

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

F- Specific target organ toxicity (STOT) - single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

G- Specific target organ toxicity (STOT)-repeated exposure:

Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information substances classified as dangerous for this effect. For more information substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, however it does contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	A	cute toxicity	Genus
propan-2-ol	LD50 oral	5280 mg/kg	Rat
CAS: 67-63-0	LD50 dermal	12800 mg/kg	Rat
	LC50 inhalation	72.6 mg/L (4 h)	Rat
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	LD50 oral	>5000 mg/kg	
CAS: 64742-49-0	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L (4 h)	
Hydrocarbons, C9-C10,n-alkanes, iso-alkanes, cyclics, <2% aromatics	LD50 oral	>5000 mg/kg	
CAS: Non-applicable	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>20 mg/L (4 h)	
Propane	LD50 oral	>5000 mg/kg	
CAS: 74-98-6	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L (4 h)	
Butane	LD50 oral	>5000 mg/kg	
CAS: 106-97-8	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	658 mg/L (4 h)	Rat

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Ecotoxicity (aquatic and terrestrial, where available):

	Identification		Acute toxicity	Species	Genus
ĺ	propan-2-ol	LC50	9640 mg/L (96 h)	Pimephales promelas	Fish
	CAS: 67-63-0	EC50	13299 mg/L (48 h)	Daphnia magna	Crustacean
		EC50	1000 mg/L (72 h)	Scenedesmus subspicatus	Algae

12.2 Persistence and degradability:

Identification	De	gradability	Biodegradability	
propan-2-ol	BOD5	1.19 g O2/g	Concentration	100 mg/L
CAS: 67-63-0	COD	2.23 g O2/g	Period	14 days
	BOD5/COD	0.53	% Biodegradable	86 %
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	BOD5	Non-applicable	Concentration	Non-applicable
CAS: 64742-49-0	COD	Non-applicable	Period	14 days
	BOD5/COD	Non-applicable	% Biodegradable	95 %

12.3 Bioaccumulative potential:



Date of compilation: 2021-06-16 Version: 1

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	В	ioaccumulation potential
Butane	BCF	33
CAS: 106-97-8	Pow Log	2.89
	Potential	Moderate
propan-2-ol	BCF	3
CAS: 67-63-0	Pow Log	0.05
	Potential	Low
Propane	BCF	13
CAS: 74-98-6	Pow Log	2.86
	Potential	Low

12.4 Mobility in soil:

Identification	Absorp	Absorption/desorption		Volatility	
Butane	Кос	900	Henry	96258.75 Pa·m ³ /mol	
CAS: 106-97-8	Conclusion	Low	Dry soil	Yes	
	Surface tension	1.187E-2 N/m (25 °C)	Moist soil	Yes	
propan-2-ol	Кос	1.5	Henry	8.207E-1 Pa·m ³ /mol	
CAS: 67-63-0	Conclusion	Very High	Dry soil	Yes	
	Surface tension	2.24E-2 N/m (25 °C)	Moist soil	Yes	
Propane	Кос	460	Henry	71636.78 Pa·m ³ /mol	
CAS: 74-98-6	Conclusion	Moderate	Dry soil	Yes	
	Surface tension	7.02E-3 N/m (25 °C)	Moist soil	Yes	

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations. In case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See epigraph 6.2.

Regulations related to waste management:

Legislation related to waste management:

Canadian Environmental Protection Act, 1999

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to Transportation of Dangerous Goods Regulations including Amendment SOR/2017-100



Date of compilation: 2021-06	-16	Version: 1	
SECTION 14: TRANSPO	ORT I	NFORMATION (continued)	
	14.1	UN number:	UN1950
	14.2	United Nations proper	AEROSOLS, flammable
		shipping name:	_
	14.3	Transport hazard class(es):	2
		Labels:	2.1
		Packing group: Environmental hazard:	N/A No
	-		ser needs to be aware of, or needs to comply with, in
			conveyance either within or outside their premises
		Physico-Chemical properties:	see section 9
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable
Transport of dar	ngerou	is goods by sea:	
With regard to IMI	DG 39-	18:	
	14.1	UN number:	UN1950
	14.2	United Nations proper shipping name:	AEROSOLS, flammable
	14.3	Transport hazard class(es):	2
		Labels:	2.1
2		Packing group:	N/A
\checkmark		Marine pollutant:	No
	14.0		ser needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
		Special regulations:	63, 959, 190, 277, 327, 344
		EmS Codes:	F-D, S-U
		Physico-Chemical properties:	see section 9
		Limited quantities:	1L
		Segregation group:	Non-applicable
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable
Transport of dar	ngerou		
With regard to IAT	FA/ICA	D 2021:	
		UN number:	UN1950
		United Nations proper shipping name:	AEROSOLS, flammable
	14.3	Transport hazard class(es):	2
		Labels:	2.1
		Packing group:	N/A
		Environmental hazard:	No
	14.0	connection with transport or o	ser needs to be aware of, or needs to comply with, in conveyance either within or outside their premises
		Physico-Chemical properties:	see section 9
	14.7	Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code):	Non-applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations specific for the product in question:

Domestic Substances List (DSL): Butane ; propan-2-ol ; Propane Non-Domestic Substances List (NDSL): Non-applicable **Specific provisions in terms of protecting people or the environment:**



Date of compilation: 2021-06-16 Version: 1

SECTION 15: REGULATORY INFORMATION (continued)

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

Canadian Environmental Protection Act, 1999

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Part 4 and Schedule I of the Hazardous Products Regulations (SOR/2015-17)

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H315: Causes skin irritation.

H280: Contains gas under pressure; may explode if heated.

H222: Extremely flammable aerosol.

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://whmis.org/

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5-day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 CL50: Lethal Concentration 50 EC50: Effective concentration 50 Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.